	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	10/712,802	LI ET AL.
	Examiner	Art Unit
	Michael P. Stafira	2877
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 2/17/2006</u> .		
2. ⊠ The allowed claim(s) is/are <u>4-24</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		
Add a share a ref (a)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 98), 7. ⊠ Examiner's Amendi	te ment/Comment
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	•	ent of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gregory A. Sebald on April 27, 2006.

The application has been amended as follows:

- a. In claim 4, change the dependency from "1" to --7--;
- b. In claim 21, change the dependency from "1" to --7--;
- c. In claim 23, change the dependency from "1" to --7--;
- d. In claim 24, change the dependency from "1" to --7--.

Allowable Subject Matter

- 2. Claims 4-24 are allowed over the prior art of record.
- 3. The following is an examiner's statement of reasons for allowance:

Regarding claim 7, the prior art fails to disclose or make obvious a scanning apparatus having a scanner having a measuring device for measuring the shape of a scanned article; a linkage comprising: a first ground link: a second link rotatably mounted to the first link about a first axis; a third link rotatably mounted to the second link about a second axis; a fourth link

Application/Control Number: 10/712,802 Page 3

Art Unit: 2877

rotatably mounted to the third link about a third axis; a fifth link rotatably mounted to the fourth link about a fourth axis and rotatably mounted to the first link about a fifth axis; an article holder mounted to one of the links adapted for supporting an article to be scanned exterior of a sphere defined by the linkage; wherein the scanner and article holder are movable relative to one another to scan the surface of the article, and in combination with the other recited limitations of claim 7. Claims 4-6, 8-24 are allowed by the virtue of dependency on the allowed claim 7.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Stafira whose telephone number is 571-272-2430. The examiner can normally be reached on 4/10 Schedule Mon.-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Toatley can be reached on 571-272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/712,802 Page 4

Art Unit: 2877

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael P. Stanra Primary Examiner Art Unit 2877

April 28, 2006